

# Kelley

## Inflatable Seals and Shelters



Kelley inflatable dock seals and shelters provide a positive seal for improved dock safety, energy efficiency and improved loading dock environmental control.



---

# THE ULTIMATE ENERGY SEAL

Kelley Inflatable Seals and Shelters provide the ultimate energy seal for climate controlled loading docks. With a wide variety of models to meet your specific needs. Kelley inflatable seals and shelters improve energy efficiency with little or no pressure on your building walls.

## KELLEY KI-300 INFLATABLE DOCK SEAL

The KI-300 effectively insulates and seals standard door size openings. Ideal for climate-controlled loading docks while providing flexibility and convenience.

### FEATURES:

- Inflated with low-pressure, high-volume blower motor
- Ideal when minimal building wall pressure is desirable
- Wall-mounted blower located above the seal
- Can be interlocked with other dock equipment for improved performance



## KELLEY KI-350 INFLATABLE DOCK SEAL WITH VARIABLE HEIGHT HEAD MEMBER

Design for taller doorways and loading docks that serve a wide variety of trailer heights. Head member seals across top of trailer.

### FEATURES:

- Variable-height, air-inflated head member adjusts to different trailer heights
- Head member includes torsion-spring retraction system
- Head and side inflated with low-pressure, high-volume blower motor
- Ideal when minimal building wall pressure is desirable





## KELLEY KI-400 INFLATABLE PERIPHERAL DOCK SHELTER

Designed for wider and taller doorways and loading docks that serve a wide variety of trailer sizes, including trailers with extended tailgates or hydraulic lifts.

### FEATURES:

- Head and side members adjust to seal a wide variety of trailer sizes
- Head and side members retract completely out of the contact area
- Provides full width and height access to interior of trailer
- Can be interlocked with other dock equipment for improved performance
- Minimal building wall pressure exerted through dock shelter



## KELLEY KI-450 RIGID FRAME INFLATABLE DOCK SHELTER

Designed for wider and taller doorways and loading docks that serve a wide variety of trailer sizes, including trailers with extended tailgates or hydraulic lifts.

### FEATURES:

- Head and side members adjust to seal a wide variety of trailer sizes
- Head and side members retract completely out of the contact area and store behind heavy-duty face curtains
- Provides full width and height access to interior of trailer
- Can be interlocked with other dock equipment for improved performance
- Minimal building wall pressure exerted through dock shelter



## KELLEY KI-310 INFLATABLE RAIL SHELTER

Designed for effective sealing of a wide variety of rail loading dock applications. Available in either three-sided or four-sided versions.

### FEATURES:

- Features durable one-piece unitized construction
- Includes low-pressure, high-volume blower motor
- Automatically adjusts to variations in rail car width
- Available in a wide variety of width, height and projection sizes



## MAKE YOUR KELLEY SOLUTION WORK HARDER



### INTEGRATE DOCK EQUIPMENT

Kelley Dock Devices including trailer restraints, dock doors, inflatable seals or shelters, dock lights and security systems, can be integrated together in a **Master Control Panel**. Integrating this equipment is a simple way to improve productivity, security and environmental control on your loading docks.

## ENERGY GUARD®

ENERGY GUARD® is the most effective way to prevent energy loss at your loading dock. This superior perimeter dock leveler weatherseal also blocks dirt, debris and pests. The innovative design closes off the gaps between the leveler and concrete pit walls that are typically missed by traditional sealing options. It can be factory installed on new equipment orders or installed in the field to enhance your existing equipment. When you need improved cleanliness and energy efficiency, ENERGY GUARD is the dock leveler weather seal to choose.



### SMART DESIGN ADVANTAGES:

- Seal assemblies rotate rather than scrape the pit wall so no scheduled maintenance is required
- Expanded sealing range creates an effective perimeter seal up to 9" above dock level
- Rear hinge seal assembly's durable 2-ply material flexes during operation to block air flow at the rear
- Design leaves access to the pit clear for cleaning and dock leveler inspections



**ENTRE/MATIC**

**Kelley Entrematic**  
1612 Hutton Dr., Suite 140  
Carrollton, TX 75006  
800.558.6960  
[www.kelleyentrematic.com](http://www.kelleyentrematic.com)

Entrematic reserves the right to change specifications and designs without notice and without incurring obligations. Entrematic products may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents. Entrematic as word and logo are registered trademarks belonging to Entrematic Group AB or other companies controlled by the same organization. All rights reserved.

©Entrematic Group AB 2017. All rights reserved. Printed in USA Form # KCB-SI00-0617