



# AQUASHIELD® RAIN SEALING SYSTEM

A Q S - 9 0 0 D O C K S E A L S P E C I F I C A T I O N S



## Feature Highlights:

- Protects dock from moisture infiltration, keeping products safe from costly water damage
- Automatic position, no manual activation necessary
- Heavy-duty galvanized steel channel head frame
- Translucent fiberglass raked head frame for fast water drainage
- High-resilient foam core protected by three layers of durable coated fabric
- Seal easily replaceable, reducing down time and maintenance costs
- Rugged support brackets for mounting over existing equipment
- Weighted side covers provide extra protection for the dock area (not shown)
- Covers trucks 12'-9" to 13'-6" high

## Project Information

Job Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 General Contractor \_\_\_\_\_  
 Distributor \_\_\_\_\_  
 Quantity \_\_\_\_\_



## Certified For Construction

By \_\_\_\_\_  
 Company \_\_\_\_\_  
 Address \_\_\_\_\_  
 Date \_\_\_\_\_



# AQUASHIELD® RAIN SEALING SYSTEM

A Q S - 9 0 0 D O C K S E A L S P E C I F I C A T I O N S



### APPLICATION DATA

Door Width: \_\_\_\_\_ ft. \_\_\_\_\_ in.  
 Door Height: \_\_\_\_\_ ft. \_\_\_\_\_ in.  
 Dock Height: \_\_\_\_\_ ft. \_\_\_\_\_ in.  
 Bumper Protection\*: \_\_\_\_\_ in.  
 (\*Includes bumper projection and any building wall/  
 foundation offset or cantilever)

### TRUCKS AND TRAILERS SERVICED

Width: \_\_\_\_\_ Max. \_\_\_\_\_ Min.  
 Height: \_\_\_\_\_ Max. \_\_\_\_\_ Min.  
 Length: \_\_\_\_\_ Max. \_\_\_\_\_ Min.  
 Hydraulic Tailgate:  Yes  No  
 Rear Step Section:  Yes  No  
 Tailgate/Step Section Size: \_\_\_\_\_ In.  
 Yard Jockeys:  Yes  No

Drive/Approach  Level  Incline  Decline

Weighted Side Covers: 22 oz. Vinyl

Color  Black  Tan  Brown  Blue  Green

Removable Cover Material: TS-55®

Color  Black  Tan  Brown  Blue  Green  
 Flame Retardant Fabric & Foam  Flame Retardant Fabric Only

Wear Pleat Material: TS-55®

Color  Black  Tan  Brown  Blue  Green

Head Frame Material: Galvanized Steel

Top Projection of Dock Seal: \_\_\_\_\_

Bottom Projection of Dock Seal: \_\_\_\_\_

Aquasheid Head Frame Projection: \_\_\_\_\_

(18" greater than dock seal top projection)

Dock Seal Overall Unit Height off Grade at Wall: \_\_\_\_\_

Dock Seal Unit Width \_\_\_\_\_ (Total Inches)

Dock Seal Unit Width Including Mounting Brackets \_\_\_\_\_

Aquasheid Head Frame Width \_\_\_\_\_ (Total Inches)

Building Wall Construcion:  Metal  Other

\*Conversions: To convert measurements to metric, see formulas below:

Inches x 25.4 = millimeters (Example: 4" x 25.4 = 101.6 mm)

Feet x .3048 = meters (Example: 12' x .3048 = 3.66 m)